





SKU	Estate			
Grass Zone Yarn/Color	PE / Field Green / Olive / Apple			
Grass Zone Denier	9,900/9			
Thatch Zone Yarn/Color	PE / Field Green / Beige			
Thatch Zone Denier	5,000/8			
Grass Zone Yarn Shape	Soft Omega			
Finished Pile Height	1 3/8"			
Finished Pile Weight	50 oz.			
Backing	15 / 18 PP 2-Part / 22oz. EnviroLoc™			
Tuft Gauge	3/8"			
Total Weight	78 oz.			
Tuft Bind	> 8 lbs.			
Permeability	> 400 inches per / SY			
Features	Sanitized", EnviroLoc™, StatBlock™ Anti-Static, DualChill™ IR Reflective, Deluster, UV Stabilizers			
Test Data	USDA Certified BioBased Product, ASTM E108 Class A Fire Rating, ASTM F1292, F1951			

Estate

USDA Certified Bio-based product using Super Yarn™ technology and renewable sugarcane to create a soft, environmentally friendly artificial grass variety that is as stunning as it is sustainable and economical.

O Unmatched Lifetime Warranty

(9) EnviroLoc Plant-Based Backing

0 Deluster + UV Protection

ASTM E108 Class A Fire Rating

SUPER YARN™ TECHNOLOGY

Sanitized* DualChill" IR Reflective Antimicrobial

StatBlock" Anti-Static



RECOMMENDED USES

Ø

























Primary Yarn Polymer	Polyethylene
Yarn Cross Section	Soft Omega
Standard Color	Field Green / Olive / Apple
Fabric Construction	Tufted
Second Yarn Polymer Thatch	Polyethylene
Secondary Yarn Color	Field Green / Beige

Finish Fabric

Primary Backing	15/18 PP 2-Part
Coating Type	22 oz. EnviroLoc™
PE Yarn Denier / Ends	9,900/9
Texturized Thatch Denier / Ends	5,000 / 8
Warranty Period	Limited Lifetime

ASTM Test

Fillish Fabric	Liigiisii	Liigiisii Systeiii	
Nominal Specification	Value	Units	Method
Pile Height (Nominal)	1 3/8	inches	D-5823
Face Weight	50	oz/yd²	D-5848
Total Fabric Weight	78	oz/yd²	D-5848
Primary Backing Weight	6	oz/yd²	D-5848
Secondary Coating Weight	22	oz/yd²	D-5848
Tuft Bind	> 8	lbs.	D-1335
Grab Tear Strength (Average)	> 200	lbs.	D-5034
Total Yarn Linear Density	14,900	Denier	D-1577
Elongation to Break	> 30	%	D-2256
Yarn Breaking Strength	> 20	lbs.	D-5793
Machine Gauge	3/8	inches	D-5793
Flammability	Passed		D-2859
Water Permeability	447.81	in/hr	D-1551
Fabric Width	15	ft	

English System



