



Control

Extend playtime all year long in any climate with this remarkable artificial grass playground surface built using new Super Yarn™ technology. Sanitized®, anti-static, and heat reflective properties allow children to run, play and roll around, all while maintaining it's natural appearance.

Grass Zone Yarn/Color	PE / Field Green / Apple
Grass Zone Denier	10,000 / 6
Thatch Zone Yarn/Color	PE / Field Green / Beige
Thatch Zone Denier	5,040 / 12
Grass Zone Yarn Shape	Omega
Finished Pile Height	1"
Finished Pile Weight	60 oz.
Backing	15 / 18 PP 2-Part / 20oz. EnviroLoc™
Tuft Gauge	3/8"
Total Weight	86 oz.
Tuft Bind	> 8 lbs.
Permeability	> 300 inches per / SY
Features	Sanitized®, EnviroLoc™, StatBlock™ Anti-Static, DualChill™ IR Reflective, Deluster, UV Stabilizers
Test Data	ASTM F1292, F1951, IPEMA Certified

- Unmatched Lifetime Warranty
- EnviroLoc™ Plant-Based Backing
- Deluster and UV Protection
- Class A Fire Rating

- Foot Traffic
- Softness

SUPER YARN™ TECHNOLOGY


Sanitized* Antimicrobial	DualChill™ IR Reflective	StatBlock™ Anti-Static
------------------------------------	------------------------------------	----------------------------------



Not to scale. For illustration only.

RECOMMENDED USES

PLAY — PETS — LANDSCAPE — ROOFTOP — GOLF



Primary Yarn Polymer	Polyethylene	Primary Backing	15/18 PP 2-Part
Yarn Cross Section	Omega	Coating Type	20 oz. EnviroLoc™
Standard Color	Field Green / Apple	PE Yarn Denier / Ends	10,000 / 6
Fabric Construction	Tufted	Texturized Thatch Denier / Ends	5,040 / 12
Second Yarn Polymer Thatch	Polyethylene	Warranty Period	Limited Lifetime
Secondary Yarn Color	Field Green / Beige		

Finish Fabric	English System		ASTM Test
<i>Nominal Specification</i>	<i>Value</i>	<i>Units</i>	<i>Method</i>
Pile Height (Nominal)	1	Inch	D-5823
Face Weight	60	oz/yd ²	D-5848
Total Fabric Weight	86	oz/yd ²	D-5848
Primary Backing Weight	6	oz/yd ²	D-5848
Secondary Coating Weight	20	oz/yd ²	D-5848
Tuft Bind	> 8	lbs.	D-1335
Grab Tear Strength (Average)	> 200	lbs.	D-5034
Total Yarn Linear Density	15,040	Denier	D-1577
Elongation to Break	> 30	%	D-2256
Yarn Breaking Strength	> 20	lbs.	D-5793
Machine Gauge	3/8	Inches	D-5793
Flammability	Passed	-	D-2859
Water Permeability	344.31	In/hr	D-1551
Fabric Width	15	ft	-

